

International
Research Journal of
**APPLIED
SCIENCES**

Volume 01 | Issue 04 | 2019



SciRange
PUBLICATIONS

www.scirange.com

Study of Relation between Synchrotron Radiation and Dubnium Nanoparticles in Human Cancer Cells, Tissues and Tumors Treatment Process

^{1,2}Alireza Heidari, ¹Katrina Schmitt, ¹Maria Henderson and ¹Elizabeth Besana

¹Faculty of Chemistry, California South University, 14731 Comet St. Irvine, CA 92604, USA

²American International Standards Institute, Irvine, CA 3800, USA

ARTICLE INFORMATION

Received: October 25, 2019

Accepted: November 27, 2019

Corresponding Author:

Alireza Heidari,
Faculty of Chemistry,
California South University,
14731 Comet St. Irvine, CA 92604, USA

ABSTRACT

Dubnium nanoparticles absorb energy of generation beam radiation and procreate some heat in the bit. The procreated heat transmitted to the circumambient environs and guides to enhance in temperature of adjoining dots to nanoparticles. Therefore in this study, thermoplasmonic characteristics of spherical, core-shell and rod Dubnium nanoparticles were investigated. Heat conversions can be established by heat transmission equation. When Dubnium nanoparticles are subdued to generated beam radiation, a section of beam radiation distributed (transpiration procedure) and the other section absorbed (non-transpiration procedure). The value of energy waste in non-transpiration procedure for the most parthas a rightful place to compound and mass of nanoparticles and it can be recognized by absorption cross section. On the other hand, however, transpiration procedure which its specifications are contingent on mass, configuration and plane specifications of nanoparticles illustrates by dispersion cross section. Aggregate of absorption and distribution procedure which guide to beam radiation waste is called overthrow cross section.

Keywords: Dubnium nanoparticles, Scanning Electron Microscope (SEM), 3D Finite Element Method (FEM), heat transfer equation, optothermal, heat distribution, thermoplasmonic, dubnium nanorods, human cancer cells, tissues and tumors treatment, simulation, synchrotron radiation, emission, function, beam energy

INTRODUCTION

Cancer is one of the malignant diseases and millions of people worldwide die from cancer annually. Breast cancer diagnosis requires the analysis of images and attributes as well as collecting many clinical and mammography variables. In diagnosis of breast cancer, it is important to determine whether a tumor is benign or malignant. The information about breast cancer risk prediction along with the type of tumor was crucial for patients and effective medical decision making. An ideal diagnostic system could effectively distinguish between benign and malignant cells; however, such a system has not been created yet. In this study, a model was developed to improve the prediction probability of breast cancer. It is necessary to have such a prediction model as the survival probability of breast cancer is high when patients are diagnosed at early stages. In recent decade, metallic nanoparticles have been widely interested due to their

interesting optical characteristics¹⁻⁸. Resonances of surface Plasmon in these nanoparticles lead to increase in synchrotron radiation emission as a function of the beam energy scattering and absorption in related frequency^{9,10}. Synchrotron radiation emission as a function of the beam energy absorption and induced produced heat in nanoparticles has been considered as a side effect in plasmonic applications for a long time¹¹⁻¹⁵. Recently, scientists find that thermoplasmonic characteristic can be used for various optothermal applications in cancer, nanoflows and photonic¹⁶⁻²². In optothermal human cancer cells, tissues and tumors treatment, the descendent laser light stimulate resonance of surface Plasmon of metallic nanoparticles and as a result of this process, the absorbed energy of descendent light converse to heat in nanoparticles²³⁻²⁵. The produced heat devastates tumor tissue adjacent to nanoparticles without any hurt to sound tissues^{26,27}. Regarding the simplicity of ligands connection to Dubnium nanoparticles for targeting cancer cells, these nanoparticles were more appropriate to use in optothermal human cancer cells, tissues and tumors treatment²⁸⁻⁷⁴. In the current paper, thermoplasmonic characteristics of spherical, core-shell and rod Dubnium nanoparticles were investigated.

MATERIALS AND METHODS

When Dubnium nanoparticles were subdued to generated beam radiation, a section of beam radiation distributed (transpiration procedure) and the other section absorbed (non-transpiration procedure). The value of energy waste in non-transpiration procedure for the most part has a rightful place to compound and mass of nanoparticles and it can be recognized by absorption cross section. On the other hand, however, transpiration procedure which its specifications are contingent on mass, configuration and plane specifications of nanoparticles illustrates by dispersion cross section. Aggregate of absorption and distribution procedure which guide to beam radiation waste is called overthrow cross section⁷⁵⁻¹²³. Dubnium nanoparticles absorb energy of generation beam radiation and procreate some heat in the bit. The procreated heat transmitted to the circumambient environs and guides to enhance in temperature of adjoining dots to nanoparticles. Heat conversions can be established by heat transmission equation¹²⁴⁻²⁰².

RESULTS AND DISCUSSION

The breast cancer is the leading cause for cancer-related deaths in women. Due to modern lifestyle, number of diagnosed patients with breast cancer in the developed countries is on the top of the list around the world¹⁻⁷. The most

common type of breast cancer is ductal carcinoma, which begins in the cells of the ducts. Breast cancer can also begin in the cells of the lobules and in other tissues in the breast⁹⁻¹⁹. In the U.S., breast cancer is the second most common cancer in women after skin cancer. It can occur in both men and women, but it is rare in men. Each year there are about 100 times more new cases of breast cancer in women than in men. In this project applied several machine learning techniques on the Wisconsin Diagnostic Breast Cancer data set to classify the cancer based on the feature extracted from images as benign or malignant²⁰⁻²⁵. To calculate the generated heat in Dubnium nanoparticles, COMSOL software which works by Finite Element Method (FEM) was used. All simulations were made in 3D. Firstly, absorption and scattering cross section areas were calculated by optical module of software. Then, using heat module, temperature variations of nanoparticles and its surrounding environment were calculated by data from optical module²⁰³⁻²⁸³. In all cases, Dubnium nanoparticles are presented in water environment with dispersion coefficient of 1.84 and are subjected to flat wave emission with linear polarization. Intensity of descendent light is $1 \text{ mW } \mu\text{m}^{-2}$. Dielectric constant of Dubnium was dependent on particle size²⁸⁴⁻²⁹⁵.

Firstly, calculations were made for Dubnium nanospheres with radius of 5, 10, 15, 20, 25, 30, 35, 40, 45 and 50 nanometers. The results show that by increase in nanoparticles size, extinction cross section area increases and maximum wavelength slightly shifts toward longer wavelengths. The maximum increase in temperature of nanospheres in surface Plasmon frequency is shown in Fig. 1.

According to the graph, it can be seen that the generated heat is increased by increase in nanoparticles size. For 100 nm nanoparticles (sphere with 50 nm radius), the maximum




Fig. 1: Maximum increase in temperature for Dubnium nanospheres




Fig. 2: Variations of absorption to extinction ratio and scattering to extinction ratio for Dubnium nanospheres with various radii

increase in temperature is 83 K. When nanoparticles size reaches to 150 nm, increase in temperature is increased in spite of increase in extinction coefficient. In order to find the reason of this fact, ratio of absorption to extinction for various nanospheres in Plasmon frequency is shown in Fig. 2.

Figure 2 shows that increasing the size of nanospheres leads to decrease in ratio of light absorption to total energy of descendent light so that for 150 nm nanosphere, scattering is larger than absorption. It seems that although increase in nanoparticles size leads to more dissipation of descendent light, the dissipation is in the form of scattering and hence, it cannot be effective on heat generation.

Heat distribution (Fig. 3) shows that temperature is uniformly distributed throughout the nanoparticles which were due to high thermal conductivity of Dubnium.

In this section, core-shell structure of Dubnium and silica is chosen. The core of a nanosphere with 45 nm radius and silica layer thickness of 5, 10, 15, 20, 25, 30, 35, 40, 45 and 50 nanometers were considered. The results show that increase in silica thickness leads to increase in extinction coefficient and shift in Plasmon wavelength of nanoparticles, to some extent.

According to Fig. 4, silica shell causes to considerable increase in temperature of Dubnium nanoparticles but by more increase in silica thickness, its effects are decreased. Heat distribution (Fig. 5) shows that temperature is uniformly distributed throughout metallic core as well as silica shell. However, silica temperature was considerably lower than core temperature due to its lower thermal conductivity. In fact, silica layer prohibits heat transfer from metal to the surrounding aqueous environment due to low thermal




Fig. 3(a-b): Maximum increase in temperature for spherical nanoparticles with radius of 45 nm at Plasmon wavelength of 685 nm




Fig. 4: Maximum increase in temperature for core-shell Dubnium nanospheres with various thicknesses of silica shell




Fig. 5: Maximum increase in temperature for core-shell nanoparticles with radius of 45 nm and silica thickness of 10 nm at Plasmon wavelength of 701 nm




Fig. 6(a-e): Extinction cross section area for Dubnium nanorods with effective radius of 45 nm and various dimension ratios




Fig. 7: Maximum increase in temperature for nanorods with effective radius of 20 and 45 nm and various dimension ratios

conductivity and hence, temperature of nanoparticles has more increase in temperature. Increasing the thickness of silica shell leads to increase in its thermal conductivity and hence, leads to attenuate in increase in nanoparticles temperature. This graph shows that variation of nanorod dimension ratio leads to considerable shift in Plasmon wavelength (Fig. 6). This fact allows regulating the Plasmon frequency to place in near IR zone. Light absorption by body tissues was lower in this zone of spectrum and hence, nanorods were more appropriate for optothermal human cancer cells, tissues and tumors treatment methods.

Variations of temperature in Dubnium nanorods with two effective radius and various dimension ratios are shown in Fig. 7. By increase in length (a) to radius (b) of nanorod, temperature is increased.

CONCLUSION

In the current age, pancreatic cancer is one of the worst forms of cancer. The complications of pancreatic include five types of pancreatitis, benign tumors, malignant tumors, benign cysts and malignant cysts. This cancer has a few clinical symptoms than other cancers. Also, if not treated in a timely manner, it also causes other organs of the body and the patient chance of survival is greatly reduced. One of the ways to detect this disease is to use CT scan images. But the appearance of pancreatic complications is very different in a similar category and their tissue is very similar to healthy abdominal tissues. For this reason, it's very difficult to identify the range of complications. In this study, the data contained 151CT scan images. These images are divided into five classes of pancreatitis, malignant tumors, benign tumors, malignant cysts, benign cysts and a healthy class. The pancreatic complications are varied and different, if the diagnostic system is based on simple experts; the possibility of achieving high detection accuracy is not possible. According to the results of this study, lonely no classification can detect all diseases and combining these methods is the best option. Therefore, in this study achieved high accuracy in prediction by combining the perception, convolution and SVM neural networks. The

calculations showed that in Dubnium nanoparticles, light absorption in Plasmon frequency causes to increase in temperature of the surrounding environment of nanoparticles. In addition, it showed that adding a thin silica layer around the Dubnium nanospheres increases their temperatures. Calculations of nanorods showed that due to ability for shifting surface Plasmon frequency toward longer wavelength as well as more increase in temperature, this nanostructure is more appropriate for medical applications such as optothermal human cancer cells, tissues and tumors treatments.

ACKNOWLEDGMENTS

Authors are supported by an American International Standards Institute (AISI) Future Fellowship Grant FT1201009373432. We acknowledge Ms. Isabelle Villena for instrumental support and Dr. Michael N. Cocchi for constructing graphical abstract figures. We gratefully acknowledge Prof. Dr. Christopher Brown for proof reading the manuscript. Synchrotron beam time was awarded by the National Synchrotron Light Source (NSLS-II) under the merit-based proposal scheme.

REFERENCES

1. Heidari, A. and C. Brown, 2015. Study of composition and morphology of Cadmium Oxide (CdO) nanoparticles for eliminating cancer cell. *J. Nanomed. Res.*, 2: 1-20.
2. Heidari, A. and C. Brown, 2015. Study of surface morphological, phytochemical and structural characteristics of rhodium (III) oxide (Rh₂O₃) nanoparticles. *Int. J. Pharmacol. Phytochem. Ethnomed.*, 1: 15-19.
3. Heidari, A., 2016. An experimental biospectroscopic study on seminal plasma in determination of semen quality for evaluation of male infertility. *Int. J. Adv. Technol.*, 7: e007.
4. Heidari, A., 2016. Extraction and preconcentration of n-tolyl-sulfonyl-phosphoramid-saeure-dichlorid as an anti-cancer drug from plants: A pharmacognosy study. *J. Pharmacogn. Nat. Prod.*, 2: e103.
5. Heidari, A., 2016. A thermodynamic study on hydration and dehydration of DNA and RNA-amphiphile complexes. *J. Bioeng. Biomed. Sci.*, pp: 1-2.
6. Heidari, A., 2016. Computational studies on molecular structures and carbonyl and ketene groups' effects of singlet and triplet energies of azidoketene O=C=CH-NNN and isocyanatoketene O=C=CH-N=C=O. *J. Applied Computat. Math.*, 5: e142.
7. Heidari, A., 2016. Study of irradiations to enhance the induces the dissociation of hydrogen bonds between peptide chains and transition from helix structure to random coil structure using ATR-FTIR, raman and ¹HNMR spectroscopies. *J. Biomol. Res. Ther.*, 5: e146.
8. Heidari, A., 2016. Future prospects of point fluorescence spectroscopy, fluorescence imaging and fluorescence endoscopy in photodynamic therapy (PDT) for cancer cells. *J. Bioanal. Biomed.*, 8: e135.
9. Heidari, A., 2016. A bio-spectroscopic study of DNA density and color role as determining factor for absorbed irradiation in cancer cells. *Adv. Cancer Prev.*, 1: e102.
10. Heidari, A., 2016. Manufacturing process of solar cells using Cadmium Oxide (CdO) and Rhodium (III) Oxide (Rh₂O₃) nanoparticles. *J. Biotechnol. Biomater.*, 6: e125.
11. Heidari, A., 2016. A novel experimental and computational approach to photobiosimulation of telomeric DNA/RNA: A biospectroscopic and photobiological study. *J. Res. Dev.*, 4: 1-3.
12. Heidari, A., 2016. Biochemical and pharmacodynamical study of microporous molecularly imprinted polymer selective for vancomycin, teicoplanin, oritavancin, telavancin and dalbavancin binding. *Biochem. Physiol.*, 5: e146.
13. Heidari, A., 2016. Anti-cancer effect of UV irradiation at presence of Cadmium Oxide (CdO) nanoparticles on DNA of cancer cells: A photodynamic therapy study. *Arch. Cancer Res.*, 4: 1-2.
14. Heidari, A., 2016. Biospectroscopic study on Multi-Component Reactions (MCRs) in two A-Type and B-Type conformations of nucleic acids to determine ligand binding modes, binding constant and stability of nucleic acids in Cadmium Oxide (CdO) nanoparticles-nucleic acids complexes as anti-cancer drugs. *Arch. Cancer Res.*, 4: 1-2.
15. Heidari, A., 2016. Simulation of temperature distribution of DNA/RNA of human cancer cells using time-dependent bio-heat equation and Nd: YAG lasers. *Arch. Cancer Res.*, 4: 1-2.
16. Heidari, A., 2016. Quantitative Structure-Activity Relationship (QSAR) approximation for Cadmium Oxide (CdO) and Rhodium (III) Oxide (Rh₂O₃) nanoparticles as anti-cancer drugs for the catalytic formation of proviral DNA from viral RNA using multiple linear and non-linear correlation approach. *Ann. Clin. Lab. Res.*, 4: 1-4.
17. Heidari, A., 2016. Biomedical study of cancer cells DNA therapy using laser irradiations at presence of intelligent nanoparticles. *J. Biomedical. Sci.*, 5: 1-3.
18. Heidari, A., 2016. Measurement the amount of vitamin D2 (Ergocalciferol), vitamin D3 (Cholecalciferol) and absorbable Calcium (Ca²⁺), Iron (II) (Fe²⁺), Magnesium (Mg²⁺), Phosphate (PO⁴⁻) and Zinc (Zn²⁺) in apricot using High-Performance Liquid Chromatography (HPLC) and spectroscopic techniques. *J. Biom. Biostat.*, 7: 292.
19. Heidari, A., 2016. Spectroscopy and quantum mechanics of the Helium Dimer (He²⁺), Neon Dimer (Ne²⁺), Argon Dimer (Ar²⁺), Krypton Dimer (Kr²⁺), Xenon Dimer (Xe²⁺), Radon Dimer (Rn²⁺) and Ununoctium Dimer (Uuo²⁺) Molecular Cations. *Chem. Sci. J.*, 7: e112.

20. Heidari, A., 2016. Human toxicity photodynamic therapy studies on DNA/RNA complexes as a promising new sensitizer for the treatment of malignant tumors using bio-spectroscopic techniques. *J. Drug Metab. Toxicol.*, 7: e129.
21. Heidari, A., 2016. Novel and stable modifications of intelligent Cadmium Oxide (CdO) nanoparticles as anti-cancer drug in formation of nucleic acids complexes for human cancer cells' treatment. *Biochem. Pharmacol. (Los Angel)*, 5: 207.
22. Heidari, A., 2016. A combined computational and QM/MM molecular dynamics study on Boron Nitride Nanotubes (BNNTs), Amorphous Boron Nitride Nanotubes (a-BNNTs) and Hexagonal Boron Nitride Nanotubes (h-BNNTs) as hydrogen storage. *Struct. Chem. Crystallogr. Commun.*, 2: 1-3.
23. Heidari, A., 2016. Pharmaceutical and analytical chemistry study of Cadmium Oxide (CdO) nanoparticles synthesis methods and properties as anti-cancer drug and its effect on human cancer cells. *Pharm. Anal. Chem. Open Access*, 2: 113.
24. Heidari, A., 2016. A chemotherapeutic and biospectroscopic investigation of the interaction of double-standard DNA/RNA-Binding molecules with Cadmium Oxide (CdO) and Rhodium (III) Oxide (Rh_2O_3) nanoparticles as anti-cancer drugs for cancer cells Treatment. *Chemo Open Access*, 5: e129.
25. Heidari, A., 2016. Pharmacokinetics and experimental therapeutic study of DNA and other biomolecules using lasers: Advantages and applications. *J. Pharmacokinet. Exp. Ther.*, 1: e005.
26. Heidari, A., 2016. Determination of ratio and stability constant of DNA/RNA in human cancer cells and Cadmium Oxide (CdO) nanoparticles complexes using analytical electrochemical and spectroscopic techniques. *Insights Anal. Electrochem.*, 2: 1.
27. Heidari, A., 2016. Discriminate between antibacterial and non-antibacterial drugs artificial neutral networks of a Multilayer Perceptron (MLP) type using a set of topological descriptors. *J. Heavy Met. Toxicity Dis.*, 1: 2.
28. Heidari, A., 2016. Combined theoretical and computational study of the belousov-zhabotinsky chaotic reaction and curtiuss rearrangement for synthesis of mechlorethamine, cisplatin, streptozotocin, cyclophosphamide, melphalan, busulphan and BCNU as anti-cancer drugs. *Insights Med. Phys.*, 1: 2.
29. Heidari, A., 2016. A translational biomedical approach to structural arrangement of amino acids' complexes: A combined theoretical and computational study. *Transl. Biomed.*, 7: 2.
30. Heidari, A., 2016. Ab initio and Density Functional Theory (DFT) studies of dynamic NMR shielding tensors and vibrational frequencies of DNA/RNA and Cadmium Oxide (CdO) nanoparticles complexes in human cancer cells. *J. Nanomed. Biotherapeutic Discov.*, 6: e144.
31. Heidari, A., 2016. Molecular dynamics and monte-carlo simulations for replacement sugars in insulin resistance, obesity, LDL cholesterol, triglycerides, metabolic syndrome, Type 2 diabetes and cardiovascular disease: A glycobiological study. *J. Glycobiol.*, 5: e111.
32. Heidari, A., 2016. Synthesis and study of 5-[(Phenylsulfonyl)Amino]-1,3,4-Thiadiazole-2-Sulfonamide as potential anti-pertussis drug using chromatography and spectroscopy techniques. *Transl. Med. (Sunnyvale)*, 6: e138.
33. Heidari, A., 2016. Nitrogen, oxygen, phosphorus and sulphur heterocyclic anti-cancer nano drugs separation in the supercritical fluid of Ozone (O_3) using Soave-Redlich-Kwong (SRK) and Pang-Robinson (PR) equations. *Electron. J. Biol.*, 12: 4.
34. Heidari, A., 2016. An analytical and computational infrared spectroscopic review of vibrational modes in nucleic acids. *Austin. J. Anal. Pharm. Chem.*, 3 (1): 1058.
35. Heidari, A. and C. Brown, 2016. Phase, composition and morphology study and analysis of Os-Pd/HfC nanocomposites. *Nano. Res. Appl.*, 2: 1.
36. Heidari, A. and C. Brown, 2016. Vibrational spectroscopic study of intensities and shifts of symmetric vibration modes of ozone diluted by cumene. *Int. J. Adv. Chem.*, 4: 5-9.
37. Heidari, A., 2016. Study of the role of anti-cancer molecules with different sizes for decreasing corresponding bulk tumor multiple organs or tissues. *Arch. Can. Res.*, 4: 2.
38. Heidari, A., 2016. Genomics and proteomics studies of zolpidem, necopidem, alpidem, saripidem, miroprofen, zolimidine, olprinone and abafungin as anti-tumor, peptide antibiotics, antiviral and Central Nervous System (CNS) drugs. *J. Data Mining Genomics Proteomics*, 7: e125.
39. Heidari, A., 2016. Pharmacogenomics and Pharmacoproteomics Studies of Phosphodiesterase-5 (PDE5) inhibitors and paclitaxel albumin-stabilized nanoparticles as sandwiched anti-cancer nano drugs between two DNA/RNA molecules of human cancer cells. *J. Pharmacogenomics Pharmacoproteomics*, 7: e153.
40. Heidari, A., 2016. Biotranslational medical and biospectroscopic studies of Cadmium Oxide (CdO) nanoparticles-DNA/RNA straight and cycle chain complexes as potent anti-viral, anti-tumor and anti-microbial drugs: A clinical approach. *Transl. Biomed.*, 7: 2.
41. Heidari, A., 2016. A comparative study on simultaneous determination and separation of adsorbed Cadmium Oxide (CdO) nanoparticles on DNA/RNA of human cancer cells using biospectroscopic techniques and Dielectrophoresis (DEP) method. *Arch. Can. Res.*, 4: 2.
42. Heidari, A., 2016. Cheminformatics and system chemistry of cisplatin, carboplatin, nedaplatin, oxaliplatin, heptaplatin and lobaplatin as anti-cancer nano drugs: A combined computational and experimental study. *J. Inform. Data Min.*, 1: 3.

43. Heidari, A., 2016. Linear and non-linear Quantitative Structure-Anti-Cancer-Activity Relationship (QSACAR) study of hydrous Ruthenium (IV) Oxide (RuO₂) Nanoparticles as Non-Nucleoside Reverse Transcriptase Inhibitors (NNRTIs) and anti-cancer nano drugs. *J. Integr. Oncol.*, 5: e110.
44. Heidari, A., 2016. Synthesis, characterization and biospectroscopic studies of Cadmium Oxide (CdO) nanoparticles-nucleic acids complexes absence of soluble polymer as a protective agent using nucleic acids condensation and solution reduction method. *J. Nanosci. Curr. Res.*, 1: e101.
45. Heidari, A., 2016. Coplanarity and collinearity of 4'-Dinonyl-2,2'-Bithiazole in one domain of bleomycin and pingyangmycin to be responsible for binding of Cadmium Oxide (CdO) nanoparticles to DNA/RNA bidentate ligands as anti-tumor nano drug. *Int. J. Drug Dev. Res.*, 8: 007-008.
46. Heidari, A., 2016. A pharmacovigilance study on linear and non-linear quantitative structure (Chromatographic) Retention Relationships (QSRR) models for the prediction of retention time of anti-cancer nano drugs under synchrotron radiations. *J. Pharmacovigil.*, 4: e161.
47. Heidari, A., 2016. Nanotechnology in preparation of semipermeable polymers. *J. Adv. Chem. Eng.*, 6: 157.
48. Heidari, A., 2016. A gastrointestinal study on linear and non-linear quantitative structure (Chromatographic) Retention Relationships (QSRR) models for analysis 5-aminosalicylates nano particles as digestive system nano drugs under synchrotron radiations. *J. Gastrointest Dig. Syst.*, 6: e119.
49. Heidari, A., 2016. DNA/RNA fragmentation and cytolysis in human cancer cells treated with diphthamide nano particles derivatives. *Biomed. Data Min.*, 5: e102.
50. Heidari, A., 2016. A successful strategy for the prediction of solubility in the construction of Quantitative Structure-Activity Relationship (QSAR) and Quantitative Structure-Property Relationship (QSPR) under synchrotron radiations using Genetic Function Approximation (GFA) algorithm. *J. Mol. Biol. Biotechnol.*, 1: 1-3.
51. Heidari, A., 2016. Computational study on molecular structures of C₂₀, C₆₀, C₂₄₀, C₅₄₀, C₉₆₀, C₂₁₆₀ and C₃₈₄₀ fullerene nano molecules under synchrotron radiations using fuzzy logic. *J. Mat. Sci. Eng.*, 5: 282.
52. Heidari, A., 2016. Graph theoretical analysis of zigzag polyhexamethylene biguanide, polyhexamethylene adipamide, polyhexamethylene biguanide gauze and Polyhexamethylene Biguanide Hydrochloride (PHMB) Boron Nitride Nanotubes (BNNTs), Amorphous Boron Nitride Nanotubes (a-BNNTs) and Hexagonal Boron Nitride Nanotubes (h-BNNTs). *J. Appl. Computat. Math.*, 5: e143.
53. Heidari, A., 2016. The impact of high resolution imaging on diagnosis. *Int. J. Clin. Med. Imaging.*, 3: 1000e101.
54. Heidari, A., 2016. A comparative study of conformational behavior of isotretinoin (13-Cis retinoic acid) and Tretinoin (All-Trans Retinoic Acid (ATRA)) nano particles as anti-cancer nano drugs under synchrotron radiations using Hartree-Fock (HF) and Density Functional Theory (DFT) methods. *Insights Biomed.*, 1: 2.
55. Heidari, A., 2016. Advances in logic, operations and computational mathematics. *J. Appl. Computat. Math.*, 5: 5.
56. Heidari, A., 2016. Mathematical equations in predicting physical behavior. *J. Appl. Computat. Math.*, 5: 5.
57. Heidari, A., 2016. Chemotherapy a last resort for cancer treatment. *Chemo. Open Access*, 5: 4.
58. Heidari, A., 2016. Separation and pre-concentration of metal cations-DNA/RNA chelates using molecular beam mass spectrometry with tunable Vacuum Ultraviolet (VUV) synchrotron radiation and various analytical methods. *Mass Spectrom Purif Tech.*, 2: e101.
59. Heidari, A., 2016. Yoctosecond Quantitative Structure-Activity Relationship (QSAR) and Quantitative Structure-Property Relationship (QSPR) under synchrotron radiations studies for prediction of solubility of anti-cancer nano drugs in aqueous solutions using Genetic Function Approximation (GFA) algorithm. *Insight Pharm. Res.*, 1: 1.
60. Heidari, A., 2016. Cancer risk prediction and assessment in human cells under synchrotron radiations using Quantitative Structure Activity Relationship (QSAR) and Quantitative Structure Properties Relationship (QSPR) studies. *Int. J. Clin. Med. Imaging*, 3: 516.
61. Heidari, A., 2016. A novel approach to biology. *Electron. J. Biol.*, 12: 4.
62. Heidari, A., 2016. Innovative biomedical equipment's for diagnosis and treatment. *J. Bioeng. Biomed. Sci.*, 6: 2.
63. Heidari, A., 2016. Integrating precision cancer medicine into healthcare, medicare reimbursement changes and the practice of oncology: Trends in oncology medicine and practices. *J. Oncol. Med. Pract.*, 1: 2.
64. Heidari, A., 2016. Promoting convergence in biomedical and biomaterials sciences and silk proteins for biomedical and biomaterials applications: An introduction to materials in medicine and bioengineering perspectives. *J. Bioeng. Biomed. Sci.*, 6: 3.
65. Heidari, A., 2017. X-Ray fluorescence and X-Ray diffraction analysis on discrete element modeling of nano powder metallurgy processes in optimal container design. *J. Powder Metall. Min.*, 6: 1.
66. Heidari, A., 2017. Biomolecular spectroscopy and dynamics of nano-sized molecules and clusters as cross-linking-induced anti-cancer and immune-oncology nano drugs delivery in DNA/RNA of human cancer cells' membranes under synchrotron radiations: A payload-based perspective. *Arch. Chem. Res.*, 1: 2.

67. Heidari, A., 2017. Deficiencies in repair of double-standard DNA/RNA-binding molecules identified in many types of solid and liquid tumors oncology in human body for advancing cancer immunotherapy using computer simulations and data analysis: number of mutations in a synchronous tumor varies by age and type of synchronous cancer. *J. Appl. Bioinform. Comput. Biol.*, 6: 1.
68. Heidari, A., 2017. Electronic coupling among the five nanomolecules shuts down quantum tunneling in the presence and absence of an applied magnetic field for indication of the dimer or other provide different influences on the magnetic behavior of Single Molecular Magnets (SMMs) as qubits for quantum computing. *Global J. Res. Rev.*, 4: 2.
69. Heidari, A., 2017. Polymorphism in nano-sized graphene ligand-induced transformation of $Au_{38-x}Ag_x/xCu_x(SPh-tBu)_{24}$ to $Au_{36-x}Ag_x/xCu_x(SPh-tBu)_{24}$ ($x = 1-12$) Nanomolecules for Synthesis of $Au_{144-x}Ag_x/xCu_x[(SR)_{60}, (SC_4)_{60}, (SC_6)_{60}, (SC_{12})_{60}, (PET)_{60}, (p-MBA)_{60}, (F)_{60}, (Cl)_{60}, (Br)_{60}, (I)_{60}, (At)_{60}, (Uus)_{60}$ and $(SC_6H_{13})_{60}]$ nano clusters as anti-cancer nano drugs. *J. Nanomater Mol. Nanotechnol.*, 6: 3.
70. Heidari, A., 2017. Biomedical resource oncology and data mining to enable resource discovery in medical, medicinal, clinical, pharmaceutical, chemical and translational research and their applications in cancer research. *Int. J. Biomed. Data Min.*, 6: e103.
71. Heidari, A., 2017. Study of synthesis, pharmacokinetics, pharmacodynamics, dosing, stability, safety and efficacy of olympiadane nanomolecules as agent for cancer enzymotherapy, immunotherapy, chemotherapy, radiotherapy, hormone therapy and targeted therapy under synchrotron radiation. *J. Dev. Drugs*, 6: e154.
72. Heidari, A., 2017. A novel approach to future horizon of top seven biomedical research topics to watch in 2017: Alzheimer's, ebola, hypersomnia, Human Immunodeficiency Virus (HIV), Tuberculosis (TB), microbiome/antibiotic resistance and endovascular stroke. *J. Bioengin. Biomed. Sci.*, 7: e127.
73. Heidari, A., 2017. Opinion on Computational Fluid Dynamics (CFD) technique. *Fluid Mech. Open Access*, 4: 157.
74. Heidari, A., 2017. Concurrent diagnosis of oncology influence outcomes in emergency general surgery for colorectal cancer and Multiple Sclerosis (MS) treatment using Magnetic Resonance Imaging (MRI) and $Au_{329}(SR)_{84}, Au_{329-x}Ag_x(SR)_{84}, Au_{144}(SR)_{60}, Au_{68}(SR)_{36}, Au_{30}(SR)_{18}, Au_{102}(SPh)_{44}, Au_{38}(SPh)_{24}, Au_{38}(SC_2H_4Ph)_{24}, Au_{21}S(SAdm)_{15}, Au_{36}(pMBA)_{24}$ and $Au_{25}(pMBA)_{18}$ nano clusters. *J. Surgery Emerg. Med.*, 1: 21.
75. Heidari, A., 2017. Developmental cell biology in adult stem cells death and autophagy to trigger a preventive allergic reaction to common airborne allergens under synchrotron radiation using nanotechnology for therapeutic goals in particular allergy shots (Immunotherapy). *Cell Biol. (Henderson, NV)*, 6: 1.
76. Heidari, A., 2017. Changing metal powder characteristics for elimination of the heavy metals toxicity and diseases in disruption of Extracellular Matrix (ECM) proteins adjustment in cancer metastases induced by osteosarcoma, chondrosarcoma, carcinoid, carcinoma, ewing's sarcoma, fibrosarcoma and secondary hematopoietic solid or soft tissue tumors. *J. Powder Metall. Min.*, 6: 170.
77. Heidari, A., Nanomedicine-based combination anti-cancer therapy between nucleic acids and anti-cancer nano drugs in covalent nano drugs delivery systems for selective imaging and treatment of human brain tumors using hyaluronic acid, algonic acid and sodium hyaluronate as anti-cancer nano drugs and nucleic acids delivery under synchrotron radiation. *Am. J. Drug Deliv.*, 5: 2.
78. Heidari, A., 2017. Clinical trials of dendritic cell therapies for cancer exposing vulnerabilities in human cancer cells' metabolism and metabolomics: new discoveries, unique features inform new therapeutic opportunities, biotech's bumpy road to the market and elucidating the biochemical programs that support cancer initiation and progression. *J. Biol. Med. Sci.*, 1: e103.
79. Heidari, A., 2017. The design graphene-based nanosheets as a new nanomaterial in anti-cancer therapy and delivery of chemotherapeutics and biological nano drugs for liposomal anti-cancer nano drugs and gene delivery. *Br. Biomed. Bull.*, 5: 305.
80. Heidari, A., 2017. Integrative approach to biological networks for emerging roles of proteomics, genomics and transcriptomics in the discovery and validation of human colorectal cancer biomarkers from DNA/RNA sequencing data under synchrotron radiation. *Transcriptomics*, 5: e117.
81. Heidari, A., 2017. Elimination of the heavy metals toxicity and diseases in disruption of Extracellular Matrix (ECM) proteins and cell adhesion intelligent nanomolecules adjustment in cancer metastases using metalloenzymes and under synchrotron radiation. *Lett. Health Biol. Sci.*, 2: 1-4.
82. Heidari, A., 2017. Treatment of breast cancer brain metastases through a targeted nanomolecule drug delivery system based on dopamine functionalized Multi-Wall Carbon Nanotubes (MWCNTs) coated with nano Graphene Oxide (GO) and Protonated Polyaniline (PANI) *in situ* during the polymerization of aniline autogenic nanoparticles for the delivery of anti-cancer nano drugs under synchrotron radiation. *Br. J. Res.*, 4: 16.
83. Heidari, A., 2017. Sedative, analgesic and ultrasound-mediated gastrointestinal nano drugs delivery for gastrointestinal endoscopic procedure, nano drug-induced gastrointestinal disorders and nano drug treatment of gastric acidity. *Res. Rep. Gastroenterol.*, 1: 1.
84. Heidari, A., 2017. Synthesis, pharmacokinetics, pharmacodynamics, dosing, stability, safety and efficacy of orphan nano drugs to treat high cholesterol and related conditions and to prevent cardiovascular disease under synchrotron radiation. *J. Pharm. Sci. Emerg. Drugs*, 5: 1.

85. Heidari, A., 2017. Non-linear compact proton synchrotrons to improve human cancer cells and tissues treatments and diagnostics through particle therapy accelerators with monochromatic microbeams. *J. Cell Biol. Mol. Sci.*, 2: 1-5.
86. Heidari, A., 2017. Design of targeted metal chelation therapeutics nanocapsules as colloidal carriers and Blood-Brain Barrier (BBB) translocation to targeted deliver anti-cancer nano drugs into the human brain to treat Alzheimer's disease under synchrotron radiation. *J. Nanotechnol. Material Sci.*, 4: 1-5.
87. Gobato, R. and A. Heidari, 2017. Calculations using quantum chemistry for inorganic molecule simulation BeLi_2SeSi . *Sci. J. Analyt. Chem.*, 5: 76-85.
88. Heidari, A., 2017. Different high-resolution simulations of medical, medicinal, clinical, pharmaceutical and therapeutics oncology of human lung cancer translational anti-cancer nano drugs delivery treatment process under synchrotron and X-Ray radiations. *J. Med. Oncol.*, 2017.
89. Heidari, A., 2017. A modern ethnomedicinal technique for transformation, prevention and treatment of human malignant gliomas tumors into human benign gliomas tumors under synchrotron radiation. *Am. J. Ethnomed.*, 4: 10.
90. Heidari, A., 2017. Active targeted nanoparticles for anti-cancer nano drugs delivery across the blood-brain barrier for human brain cancer treatment, Multiple Sclerosis (MS) and Alzheimer's diseases using chemical modifications of anti-cancer nano drugs or drug-nanoparticles through Zika Virus (ZIKV) nanocarriers under synchrotron radiation. *J. Med. Chem. Toxicol.*, 2: 1-5.
91. Heidari, A., 2017. Investigation of medical, medicinal, clinical and pharmaceutical applications of estradiol, mestranol (Norlutin), Norethindrone (NET), Norethisterone Acetate (NETA), Norethisterone Enanthate (NETE) and testosterone nanoparticles as biological imaging, cell labeling, anti-microbial agents and anti-cancer nano drugs in nanomedicines based drug delivery systems for anti-cancer targeting and treatment. *Parana J. Sci. Educ.*, 3: 10-19.
92. Heidari, A., 2017. A comparative computational and experimental study on different vibrational biospectroscopy methods, techniques and applications for human cancer cells in tumor tissues simulation, modeling, research, diagnosis and treatment. *Open J. Anal. Bioanal. Chem.*, 1: 14-20.
93. Heidari, A., 2017. Combination of DNA/RNA ligands and linear/non-linear visible-synchrotron radiation-driven N-Doped ordered mesoporous Cadmium Oxide (CdO) nanoparticles photocatalysts channels resulted in an interesting synergistic effect enhancing catalytic anti-cancer activity. *Enz. Eng.*, 6: 1.
94. Heidari, A., 2017. Modern approaches in designing ferritin, ferritin light chain, transferrin, beta-2 transferrin and bacterioferritin-based anti-cancer nano drugs encapsulating nanosphere as DNA-binding proteins from starved cells (DPS). *Mod. Appro. Drug Des.*, 1 (1)504.
95. Heidari, A., 2017. Potency of human interferon β -1a and human interferon β -1b in enzymotherapy, immunotherapy, chemotherapy, radiotherapy, hormone therapy and targeted therapy of encephalomyelitis disseminate/Multiple Sclerosis (MS) and hepatitis A, B, C, D, E, F and G virus enter and targets liver cells. *J. Proteomics Enzymol.*, 6: 1.
96. Heidari, A., 2017. Transport therapeutic active targeting of human brain tumors enable anti-cancer nanodrugs delivery across the Blood-Brain Barrier (BBB) to treat brain diseases using nanoparticles and nanocarriers under synchrotron radiation. *J. Pharm. Pharmaceutics*, 4: 1-5.
97. Heidari, A. and C. Brown, 2017. Combinatorial therapeutic approaches to DNA/RNA and benzylpenicillin (Penicillin G), fluoxetine hydrochloride (Prozac and Sarafem), Propofol (Diprivan), Acetylsalicylic Acid (ASA) (Aspirin), Naproxen Sodium (Aleve and Naprosyn) and dextromethamphetamine nanocapsules with surface conjugated DNA/RNA to targeted nano drugs for enhanced anti-cancer efficacy and targeted cancer therapy using nano drugs delivery systems. *Ann. Adv. Chem.*, 1: 061-069.
98. Heidari, A., 2017. High-resolution simulations of human brain cancer translational nano drugs delivery treatment process under synchrotron radiation. *J. Transl. Res.*, 1: 1-3.
99. Heidari, A., 2017. Investigation of anti-cancer nano drugs' effects' trend on human pancreas cancer cells and tissues prevention, diagnosis and treatment process under synchrotron and X-Ray radiations with the passage of time using Mathematica. *Curr. Trends Anal. Bioanal. Chem.*, 1: 36-41.
100. Heidari, A., 2017. Pros and cons controversy on molecular imaging and dynamics of double-standard DNA/RNA of human preserving stem cells-binding nano molecules with Androgens/Anabolic Steroids (AAS) or testosterone derivatives through tracking of helium-4 nucleus (Alpha Particle) using synchrotron radiation. *Arch. Biotechnol. Biomed.*, 1: 067-0100.
101. Heidari, A., 2017. Visualizing metabolic changes in probing human cancer cells and tissues metabolism using vivo ^1H or proton NMR, ^{13}C NMR, ^{15}N NMR and ^{31}P NMR spectroscopy and self-organizing maps under synchrotron radiation. *SOJ Mater. Sci. Eng.*, 5: 1-6.
102. Heidari, A., 2017. Cavity Ring-Down Spectroscopy (CRDS), circular dichroism spectroscopy, cold vapour atomic fluorescence spectroscopy and correlation spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. *Enliven: Challenges Cancer Detect. Ther.*, 4: e001.
103. Heidari, A., 2017. Laser spectroscopy, laser-induced breakdown spectroscopy and laser-induced plasma spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. *Int. J. Hepatol. Gastroenterol.*, 3: 079-084.

104. Heidari, A., 2017. Time-resolved spectroscopy and time-stretch spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. *Enliven: Pharmacovigilance Drug Saf.*, 4: e001.
105. Heidari, A., 2017. Overview of the role of vitamins in reducing negative effect of decapeptyl (Triptorelin Acetate or Pamotate Salts) on prostate cancer cells and tissues in prostate cancer treatment process through transformation of malignant prostate tumors into benign prostate tumors under synchrotron radiation. *Open J. Anal. Bioanal. Chem.*, 1: 021-026.
106. Heidari, A., 2017. Electron phenomenological spectroscopy, Electron Paramagnetic Resonance (EPR) Spectroscopy and Electron Spin Resonance (ESR) spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. *Austin. J. Anal. Pharm. Chem.*, 4: 1091.
107. Heidari, A., 2017. Therapeutic nanomedicine different high-resolution experimental images and computational simulations for human brain cancer cells and tissues using nanocarriers deliver DNA/RNA to brain tumors under synchrotron radiation with the passage of time using Mathematica and MATLAB. *Madridge J. Nano. Tech. Sci.*, 2: 77-83.
108. Heidari, A., 2017. A consensus and prospective study on restoring Cadmium Oxide (CdO) Nanoparticles sensitivity in recurrent ovarian cancer by extending the Cadmium Oxide (CdO) Nanoparticles-free interval using synchrotron radiation therapy as antibody-drug conjugate for the treatment of limited-stage small cell diverse epithelial cancers. *Cancer Clin. Res. Rep.*, 1: 2, e001.
109. Heidari, A., 2017. A novel and modern experimental imaging and spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under white synchrotron radiation. *Cancer Sci. Res. Open Access*, 4: 1-8.
110. Heidari, A., 2017. Different high-resolution simulations of medical, medicinal, clinical, pharmaceutical and therapeutics oncology of human breast cancer translational nano drugs delivery treatment process under synchrotron and X-Ray radiations. *J. Oral. Cancer Res.*, 1: 12-17.
111. Heidari, A., 2017. Vibrational Decihertz (dHz), Centihertz (cHz), Millihertz (mHz), Microhertz (μ Hz), Nanohertz (nHz), Picohertz (pHz), Femtohertz (fHz), Attohertz (aHz), Zeptohertz (zHz) and Yoctohertz (yHz) Imaging and spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. *Int. J. Biomed.*, 7: 335-340.
112. Heidari, A., 2017. Force spectroscopy and fluorescence spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. *EC Cancer*, 2: 239-246.
113. Heidari, A., 2017. Photoacoustic spectroscopy, photoemission spectroscopy and photothermal spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. *BAOJ Cancer Res. Ther.*, 3: 045-052.
114. Heidari, A., 2017. J-Spectroscopy, Exchange Spectroscopy (EXSY), Nuclear Overhauser Effect Spectroscopy (NOESY) and Total Correlation Spectroscopy (TOCSY) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. *EMS Eng. Sci. J.*, 1: 006-013.
115. Heidari, A., 2017. Neutron spin echo spectroscopy and spin noise spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. *Int. J. Biopharm. Sci.*, 1: 103-107.
116. Heidari, A., 2017. Vibrational Decahertz (daHz), Hectohertz (hHz), Kilohertz (kHz), Megahertz (MHz), Gigahertz (GHz), Terahertz (THz), Petahertz (PHz), Exahertz (EHZ), Zettahertz (ZHz) and Yottahertz (YHz) Imaging and spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. *Madridge J. Anal. Sci. Instrum.*, 2: 41-46.
117. Heidari, A., 2018. Two-dimensional infrared correlation spectroscopy, linear two-dimensional infrared spectroscopy and non-linear two-dimensional infrared spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation with the passage of time. *J. Mater Sci. Nanotechnol.*, 6: 101.
118. Heidari, A., 2018. Fourier Transform Infrared (FTIR) spectroscopy, Near-Infrared Spectroscopy (NIRS) and Mid-Infrared Spectroscopy (MIRS) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation with the passage of time. *Int. J. Nanotechnol. Nanomed.*, 3: 1-6.
119. Heidari, A., 2018. Infrared photo dissociation spectroscopy and infrared correlation table spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation with the passage of time. *Austin. Pharmacol. Pharm.*, 3: 1011.
120. Heidari, A., 2017. Novel and transcendental prevention, diagnosis and treatment strategies for investigation of interaction among human blood cancer cells, tissues, tumors and metastases with synchrotron radiation under anti-cancer nano drugs delivery efficacy using MATLAB modeling and simulation. *Madridge J. Nov. Drug Res.*, 1: 18-24.
121. Heidari, A., 2018. Comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. *Open Access J. Trans. Med. Res.*, 2: 00026-00032.
122. Gobato, M.R.R., R. Gobato and A. Heidari, 2018. Planting of jaboticaba trees for landscape repair of degraded area. *Landscape Archit. Reg. Plann.*, 3: 1-9.

123. Heidari, A., 2018. Fluorescence spectroscopy, phosphorescence spectroscopy and luminescence spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation with the passage of time. *SM J. Clin. Med. Imaging*, 4: 1018.
124. Heidari, A., 2018. Nuclear Inelastic Scattering Spectroscopy (NISS) and Nuclear Inelastic Absorption Spectroscopy (NIAS) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. *Int. J. Pharm. Sci.*, 2: 1-14.
125. Heidari, A., 2018. X-Ray Diffraction (XRD), Powder X-Ray Diffraction (PXRD) and Energy-Dispersive X-Ray Diffraction (EDXRD) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. *J. Oncol. Res.*, 2: 1-14.
126. Heidari, A., 2018. Correlation two-dimensional Nuclear Magnetic Resonance (NMR) (2D-NMR) (COSY) imaging and spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. *EMS Can. Sci.*, 1: 001.
127. Heidari, A., 2018. Thermal spectroscopy, photothermal spectroscopy, thermal microspectroscopy, photothermal microspectroscopy, thermal macrospectroscopy and photothermal macrospectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. *SM J. Biom. Biostat.*, 3: 1024.
128. Heidari, A., 2018. A modern and comprehensive experimental biospectroscopic comparative study on human common cancers' cells, tissues and tumors before and after synchrotron radiation therapy. *Open Access J. Oncol. Med.*, 1: 11-20.
129. Heidari, A., 2018. Heteronuclear correlation experiments such as Heteronuclear Single-Quantum Correlation Spectroscopy (HSQC), Heteronuclear Multiple-Quantum Correlation Spectroscopy (HMQC) and Heteronuclear Multiple-Bond Correlation Spectroscopy (HMBC) comparative study on malignant and benign human endocrinology and thyroid cancer cells and tissues under synchrotron radiation. *J. Endocrinol. Thyroid. Res.*, 3: 555603.
130. Heidari, A., 2018. Nuclear Resonance Vibrational Spectroscopy (NRVS), Nuclear Inelastic Scattering Spectroscopy (NISS), Nuclear Inelastic Absorption Spectroscopy (NIAS) and Nuclear Resonant Inelastic X-Ray Scattering Spectroscopy (NRIXSS) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. *Int. J. Bioorg. Chem. Mol. Biol.*, 6: 1-5.
131. Heidari, A., 2018. A novel and modern experimental approach to vibrational circular dichroism spectroscopy and video spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under white and monochromatic synchrotron radiation. *Global J. Endocrinol. Metab.*, 1: 000514-000519.
132. Heidari, A., 2018. Pros and cons controversy on heteronuclear correlation experiments such as Heteronuclear Single-Quantum Correlation Spectroscopy (HSQC), Heteronuclear Multiple-Quantum Correlation Spectroscopy (HMQC) and Heteronuclear Multiple-Bond Correlation Spectroscopy (HMBC) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. *EMS Pharma J.*, 1: 002-008.
133. Heidari, A., 2018. A modern comparative and comprehensive experimental biospectroscopic study on different types of infrared spectroscopy of malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. *J. Analyt. Mol. Tech.*, 3: 8.
134. Heidari, A., 2018. Investigation of cancer types using synchrotron technology for proton beam therapy: An experimental biospectroscopic comparative study. *Eur. Mod. Stud. J.*, 2: 13-29.
135. Heidari, A., 2018. Saturated spectroscopy and unsaturated spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. *Imaging J. Clin. Med. Sci.*, 5: 001-007.
136. Heidari, A., 2018. Small-Angle Neutron Scattering (SANS) and Wide-Angle X-Ray Diffraction (WAXD) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. *Int. J. Bioorg. Chem. Mol. Biol.*, 6: 1-6.
137. Heidari, A., 2018. Investigation of bladder cancer, breast cancer, colorectal cancer, endometrial cancer, kidney cancer, leukemia, liver, lung cancer, melanoma, non-hodgkin lymphoma, pancreatic cancer, prostate cancer, thyroid cancer and non-melanoma skin cancer using synchrotron technology for proton beam therapy: An experimental biospectroscopic comparative study. *Ther. Res. Skin Dis.*, 1: 5-13.
138. Heidari, A., 2018. Attenuated Total Reflectance Fourier Transform Infrared (ATR-FTIR) spectroscopy, micro-attenuated total reflectance fourier transform infrared (Micro-ATR-FTIR) spectroscopy and Macro-Attenuated Total Reflectance Fourier Transform Infrared (Macro-ATR-FTIR) spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation with the passage of time. *Int. J. Chem. Papers*, 2: 1-12.
139. Heidari, A., 2018. Mössbauer spectroscopy, Mössbauer emission spectroscopy and ⁵⁷Fe Mössbauer spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. *Acta Sci. Cancer Biol.*, 2.3: 17-20.
140. Heidari, A., 2018. Comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation with the passage of time. *Org. Med. Chem. IJ.*, 6: 555-676

141. Heidari, A., 2018. Correlation spectroscopy, exclusive correlation spectroscopy and total correlation spectroscopy comparative study on malignant and benign human AIDS-Related cancers cells and tissues with the passage of time under synchrotron radiation. *Int. J. Bioanal. Biomed.*, 2: 001-007.
142. Heidari, A., 2018. Biomedical instrumentation and applications of biospectroscopic methods and techniques in malignant and benign human cancer cells and tissues studies under synchrotron radiation and anti-cancer nano drugs delivery. *Am. J. Nanotechnol. Nanomed.*, 1: 001-009.
143. Heidari, A., 2018. Vivo ^1H or proton NMR, ^{13}C NMR, ^{15}N NMR and ^{31}P NMR spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. *Ann. Biomet. Biostat.*, 1: 1001.
144. Heidari, A., 2018. Grazing-Incidence Small-Angle Neutron Scattering (GISANS) and Grazing-Incidence X-Ray Diffraction (GIXD) comparative study on malignant and benign human cancer cells, tissues and tumors under synchrotron radiation. *Ann. Cardiovasc. Surg.*, 1: 1006.
145. Heidari, A., 2018. Adsorption isotherms and kinetics of Multi-Walled Carbon Nanotubes (MWCNTs), Boron Nitride Nanotubes (BNNTs), Amorphous Boron Nitride Nanotubes (a-BNNTs) and Hexagonal Boron Nitride Nanotubes (h-BNNTs) for eliminating carcinoma, sarcoma, lymphoma, leukemia, germ cell tumor and blastoma cancer cells and tissues. *Clin. Med. Rev. Case Rep.*, 5: 201.
146. Heidari, A., 2018. Correlation Spectroscopy (COSY), Exclusive Correlation Spectroscopy (ECOSY), Total Correlation Spectroscopy (TOCSY), Incredible Natural-Abundance Double-Quantum Transfer Experiment (INADEQUATE), Heteronuclear Single-Quantum Correlation Spectroscopy (HSQC), Heteronuclear Multiple-Bond Correlation Spectroscopy (HMBC), Nuclear Overhauser Effect Spectroscopy (NOESY) and Rotating Frame Nuclear Overhauser Effect Spectroscopy (ROESY) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. *Acta Sci. Pharm. Sci.*, 2.5: 30-35.
147. Heidari, A., 2018. Small-Angle X-Ray Scattering (SAXS), Ultra-Small Angle X-Ray Scattering (USAXS), Fluctuation X-Ray Scattering (FXS), Wide-Angle X-Ray Scattering (WAXS), Grazing-Incidence Small-Angle X-Ray Scattering (GISAXS), Grazing-Incidence Wide-Angle X-Ray Scattering (GIWAXS), Small-Angle Neutron Scattering (SANS), Grazing-Incidence Small-Angle Neutron Scattering (GISANS), X-Ray Diffraction (XRD), Powder X-Ray Diffraction (PXRD), Wide-Angle X-Ray Diffraction (WAXD), Grazing-Incidence X-Ray Diffraction (GIXD) and Energy-Dispersive X-Ray Diffraction (EDXRD) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. *Oncol. Res. Rev.*, 1: 1-10.
148. Heidari, A., 2018. Pump-probe spectroscopy and transient grating spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. *Adv. Mat. Sci. Engg.*, 2: 1-7.
149. Heidari, A., 2018. Grazing-Incidence Small-Angle X-Ray Scattering (GISAXS) and Grazing-Incidence Wide-Angle X-Ray Scattering (GIWAXS) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. *Insights Pharmacol. Pharm. Sci.*, 1: 1-8.
150. Heidari, A., 2018. Acoustic spectroscopy, acoustic resonance spectroscopy and auger spectroscopy comparative study on anti-cancer nano drugs delivery in malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. *Nanosci. Technol.*, 5: 1-9.
151. Heidari, A., 2018. Niobium, technetium, ruthenium, rhodium, hafnium, rhenium, osmium and iridium ions incorporation into the Nano Polymeric Matrix (NPM) by immersion of the Nano Polymeric Modified Electrode (NPME) as molecular enzymes and drug targets for human cancer cells, tissues and tumors treatment under synchrotron and synchrocyclotron radiations. *Nanomed. Nanotechnol.*, 3: 000138.
152. Heidari, A., 2018. Homonuclear correlation experiments such as Homonuclear Single-Quantum Correlation Spectroscopy (HSQC), Homonuclear Multiple-Quantum Correlation Spectroscopy (HMQC) and Homonuclear Multiple-Bond Correlation Spectroscopy (HMBC) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. *Austin. J. Proteomics. Bioinform. Genomics.*, 5: 1024.
153. Heidari, A., 2018. Atomic Force Microscopy Based Infrared (AFM-IR) spectroscopy and nuclear resonance vibrational spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation with the passage of time. *J. Appl. Biotechnol. Bioeng.*, 5: 142-148.
154. Heidari, A., 2018. Time-dependent vibrational spectral analysis of malignant and benign human cancer cells and tissues under synchrotron radiation. *J. Cancer Oncol.*, 2: 000124.
155. Heidari, A., 2018. Palauamine and olympiadane nano molecules incorporation into the Nano Polymeric Matrix (NPM) by immersion of the Nano Polymeric Modified Electrode (NPME) as molecular enzymes and drug targets for human cancer cells, tissues and tumors treatment under synchrotron and synchrocyclotron radiations. *Arc. Org. Inorg. Chem. Sci.*, 3: 276-284.
156. Gobato, R. and A. Heidari, 2018. Infrared spectrum and sites of action of sanguinarine by molecular mechanics and ab initio methods. *Int. J. Atmos. Oceanic Sci.*, 2: 1-9.

157. Heidari, A., 2018. Angelic acid, diabolic acids, draculin and miraculin nano molecules incorporation into the Nano Polymeric Matrix (NPM) by immersion of the Nano Polymeric Modified Electrode (NPME) as molecular enzymes and drug targets for human cancer cells, tissues and tumors treatment under synchrotron and synchrocyclotron radiations. *Med. Anal. Chem. Int. J.*, 2: 000111.
158. Heidari, A., 2018. Gamma linolenic methyl ester, 5-Heptadeca-5,8,11-Trienyl 1,3,4-Oxadiazole-2-Thiol, sulphoquinovosyl diacyl glycerol, ruscogenin, Nocturnoside B, Protodioscine B, Parquioside-B, Leiocarposide, Narangenin, 7-Methoxy Hesperitin, Lupeol, rosemariquinone, rosmanol and rosemadiol nano molecules incorporation into the Nano Polymeric Matrix (NPM) by immersion of the Nano Polymeric Modified Electrode (NPME) as molecular enzymes and drug targets for human cancer cells, tissues and tumors treatment under synchrotron and synchrocyclotron radiations. *Int. J. Pharm. Anal. Acta.*, 2: 007-014.
159. Heidari, A., 2018. Fourier Transform Infrared (FTIR) Spectroscopy, Attenuated Total Reflectance Fourier Transform Infrared (ATR-FTIR) Spectroscopy, Micro-Attenuated Total Reflectance Fourier Transform Infrared (Micro-ATR-FTIR) Spectroscopy, Macro-Attenuated Total Reflectance Fourier Transform Infrared (Macro-ATR-FTIR) Spectroscopy, Two-Dimensional Infrared Correlation Spectroscopy, Linear Two-Dimensional Infrared Spectroscopy, Non-Linear Two-Dimensional Infrared Spectroscopy, Atomic Force Microscopy Based Infrared (AFM-IR) Spectroscopy, Infrared Photodissociation Spectroscopy, Infrared Correlation Table Spectroscopy, Near-Infrared Spectroscopy (NIRS), Mid-Infrared Spectroscopy (MIRS), nuclear resonance vibrational spectroscopy, thermal infrared spectroscopy and photothermal infrared spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation with the passage of time. *Global Imaging Insights*, 3: 1-14.
160. Heidari, A., 2018. Heteronuclear Single-Quantum Correlation Spectroscopy (HSQC) and Heteronuclear Multiple-Bond Correlation Spectroscopy (HMBC) comparative study on malignant and benign human cancer cells, tissues and tumors under synchrotron and synchrocyclotron radiations. *Chron. Med. Surg.*, 2.3: 144-156.
161. Heidari, A., 2018. Tetrakis [3, 5-bis (Trifluoromethyl) Phenyl] Borate (BARF)-Enhanced Precatalyst Preparation Stabilization and Initiation (EPPSI) nano molecules. *Med. Res. Clin. Case Rep.*, 2.1: 113-126.
162. Heidari, A., 2018. Sydnone, münchnone, montréalone, mogone, montelukast, quebecol and palau'amine-Enhanced Precatalyst Preparation Stabilization and Initiation (EPPSI) nano molecules. *Sur. Cas. Stud. Open Access J.*, 1: 44-51.
163. Heidari, A., 2018. Fornacite, orotic acid, rhamnetin, Sodium Ethyl Xanthate (SEX) and spermine (Spermidine or Polyamine) nanomolecules incorporation into the Nanopolymeric Matrix (NPM). *Int. J. Biochem. Biomolecules*, 4: 1-19.
164. Heidari, A. and R. Gobato, 2018. Putrescine, cadaverine, spermine and spermidine-Enhanced Precatalyst Preparation Stabilization and Initiation (EPPSI) nano molecules. *Parana J. Sci. Edu.*, 4: 1-14.
165. Heidari, A., 2018. Cadaverine (1,5-Pentanediamine or Pentamethylenediamine), Diethyl Azodicarboxylate (DEAD or DEADCAT) and putrescine (Tetramethylenediamine) nano molecules incorporation into the Nano Polymeric Matrix (NPM) by immersion of the Nano Polymeric Modified Electrode (NPME) as molecular enzymes and drug targets for human cancer cells, tissues and tumors treatment under synchrotron and synchrocyclotron radiations. *Hiv. Sexual Health Open Access Open J.*, 1: 4-11.
166. Heidari, A., 2018. Improving the performance of nano-endofullerenes in polyaniline nanostructure-based biosensors by covering californium colloidal nanoparticles with multi-walled carbon nanotubes. *J. Adv. Nanomaterials*, 3: 1-28.
167. Gobato, R. and A. Heidari, 2018. Molecular mechanics and quantum chemical study on sites of action of sanguinarine using vibrational spectroscopy based on molecular mechanics and quantum chemical calculations. *Malaysian J. Chem.*, 20: 1-23.
168. Heidari, A., 2018. Vibrational biospectroscopic studies on anti-cancer nanopharmaceuticals (Part I). *Malaysian J. Chem.*, 20: 33-73.
169. Heidari, A., 2018. Vibrational biospectroscopic studies on anti-cancer nanopharmaceuticals (Part II). *Malaysian J. Chem.*, 20: 74-117.
170. Heidari, A., 2018. Uranocene ($U(C_8H_8)_2$) and Bis(Cyclooctatetraene)Iron ($Fe(C_8H_8)_2$ or $Fe(COT)_2$)-Enhanced Precatalyst Preparation Stabilization and Initiation (EPPSI) nano molecules. *Chem. Rep.*, 1: 1-16.
171. Heidari, A., 2018. Biomedical systematic and emerging technological study on human malignant and benign cancer cells and tissues biospectroscopic analysis under synchrotron radiation. *Global Imaging Insights*, 3: 1-7.
172. Heidari, A., 2018. Deep-level transient spectroscopy and X-Ray Photoelectron Spectroscopy (XPS) comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. *Res. Dev. Mat. Sci.*, 7: 000659.
173. Heidari, A., 2018. C70-carboxyfullerenes nano molecules incorporation into the Nano Polymeric Matrix (NPM) by immersion of the Nano Polymeric Modified Electrode (NPME) as molecular enzymes and drug targets for human cancer cells, tissues and tumors treatment under synchrotron and synchrocyclotron radiations. *Global Imaging Insights*, 3: 1-7.

174. Heidari, A., 2018. The effect of temperature on Cadmium Oxide (CdO) nanoparticles produced by synchrotron radiation in the human cancer cells, tissues and tumors. *Int. J. Adv. Chem.*, 6: 140-156.
175. Heidari, A., 2018. A clinical and molecular pathology investigation of correlation spectroscopy (COSY), Exclusive Correlation Spectroscopy (ECOSY), Total Correlation Spectroscopy (TOCSY), Heteronuclear Single-Quantum Correlation Spectroscopy (HSQC) and Heteronuclear Multiple-Bond Correlation Spectroscopy (HMBC) comparative study on malignant and benign human cancer cells, tissues and tumors under synchrotron and synchrocyclotron radiations using cyclotron versus synchrotron, synchrocyclotron and the Large Hadron Collider (LHC) for delivery of proton and helium ion (Charged particle) beams for oncology radiotherapy. *Eur. J. Adv. Eng. Technol.*, 5: 414-426.
176. Heidari, A., 2018. Nano molecules incorporation into the Nano Polymeric Matrix (NPM) by immersion of the Nano Polymeric Modified Electrode (NPME) as molecular enzymes and drug targets for human cancer cells, tissues and tumors treatment under synchrotron and synchrocyclotron radiations. *J. Oncol. Res.*, 1: 1-20.
177. Heidari, A., 2018. Use of molecular enzymes in the treatment of chronic disorders. *Canc. Oncol. Open Access J.*, 1: 12-15.
178. Heidari, A., 2018. Vibrational biospectroscopic study and chemical structure analysis of unsaturated polyamides nanoparticles as anti-cancer polymeric nanomedicines using synchrotron radiation. *Int. J. Adv. Chem.*, 6: 167-189.
179. Heidari, A., 2018. Adamantane, irene, naftazone and Pyridine-Enhanced Precatalyst Preparation Stabilization and Initiation (PEPPSI) nano molecules. *Madridge J. Nov. Drug. Res.*, 2: 61-67.
180. Heidari, A., 2018. Heteronuclear Single-Quantum Correlation Spectroscopy (HSQC) and Heteronuclear Multiple-Bond Correlation Spectroscopy (HMBC) comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. *Madridge J. Nov. Drug. Res.*, 2: 68-74.
181. Heidari, A. and R. Gobato, 2018. A novel approach to reduce toxicities and to improve bioavailabilities of DNA/RNA of human cancer cells-containing cocaine (Coke), Lysergide (Lysergic Acid Diethyl Amide or LSD), Δ -Tetrahydrocannabinol (THC) [(*-*)-trans- Δ -Tetrahydrocannabinol], Theobromine (Xanthose), Caffeine, Aspartame (APM) (NutraSweet) and Zidovudine (ZDV) [Azidothymidine (AZT)] as anti-cancer nano drugs by coassembly of dual anti-cancer nano drugs to Inhibit DNA/RNA of human cancer cells drug resistance. *Parana J. Sci. Edu.*, 4: 1-17.
182. Heidari, A. and R. Gobato, 2018. Ultraviolet Photoelectron Spectroscopy (UPS) and Ultraviolet-Visible (UV-Vis) spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. *Parana J. Sci. Edu.*, 4: 18-33.
183. Gobato, R., A. Heidari and A. Mitra, 2018. The creation of $C_{13}H_{20}BeLi_2SeSi$. The proposal of a bio-inorganic molecule, using Ab Initio methods for the genesis of a nano membrane. *Arc. Org. Inorg. Chem. Sci.*, 3: 000167.
184. Gobato, R., A. Heidari and A. Mitra, 2018. Using the quantum chemistry for genesis of a nano biomembrane with a combination of the elements Be, Li, Se, Si, C and H", ResearchGate, see discussions, stats and author profiles for this publication at: <https://www.researchgate.net/publication/326201181>.
185. Gobato, R. and A. Heidari, 2018. Using the quantum chemistry for genesis of a nano biomembrane with a combination of the elements Be, Li, Se, Si, C and H. *J. Nanomed. Res.*, 7: 241-252.
186. Heidari, A., 2018. Bastadins and bastaranes-Enhanced Precatalyst Preparation Stabilization and Initiation (EPPSI) nano molecules. *Global Imaging Insights*, 3: 1-7.
187. Heidari, A., 2018. Fucitol, pterodactyladiene, DEAD or DEADCAT (DiEthyl AzoDiCarboxylaTe), Skatole, the NanoPutians, Thebacon, Pikachurin, Tie Fighter, Spermidine and Mirasorvone Nano Molecules Incorporation into the Nano Polymeric Matrix (NPM) by Immersion of the Nano Polymeric Modified Electrode (NPME) as molecular enzymes and drug targets for human cancer cells, tissues and tumors treatment under synchrotron and synchrocyclotron radiations. *Global Imaging Insights*, 3: 1-8.
188. Dadvar, E. and A. Heidari, 2018. A review on separation techniques of Graphene Oxide (GO)/Base on hybrid polymer membranes for eradication of dyes and oil compounds: Recent progress in Graphene Oxide (GO)/Base on polymer membranes-related nanotechnologies. *Clin. Med. Rev. Case Rep.*, 5: 228.
189. Heidari, A. and R. Gobato, 2018. First-time Simulation of Deoxyuridine Monophosphate (dUMP) (Deoxyuridylic acid or Deoxyuridylate) and Vomitoxin (Deoxynivalenol (DON)) ((3 α ,7 α)-3,7,15-Trihydroxy-12,13-Epoxytrichothec-9-En-8-One)-Enhanced Precatalyst Preparation Stabilization and Initiation (EPPSI) Nano Molecules Incorporation into the Nano Polymeric Matrix (NPM) by Immersion of the Nano Polymeric Modified Electrode (NPME) as molecular enzymes and drug targets for human cancer cells, tissues and tumors treatment under synchrotron and synchrocyclotron radiations. *Parana J. Sci. Edu.*, 4: 46-67.
190. Heidari, A., 2018. Buckminsterfullerene (Fullerene), bullvalene, dickite and josiphos ligands nano molecules incorporation into the Nano Polymeric Matrix (NPM) by immersion of the Nano Polymeric Modified Electrode (NPME) as molecular enzymes and drug targets for human hematology and thromboembolic diseases prevention, diagnosis and treatment under synchrotron and synchrocyclotron radiations. *Global Imaging Insights*, 3: 1-7.

191. Heidari, A., 2018. Fluctuation X-Ray Scattering (FXS) and Wide-Angle X-Ray Scattering (WAXS) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. *Global Imaging Insights*, 3: 1-7.
192. Heidari, A., 2018. A novel approach to Correlation Spectroscopy (COSY), Exclusive Correlation Spectroscopy (ECOSY), Total Correlation Spectroscopy (TOCSY), Incredible Natural-Abundance Double-Quantum Transfer Experiment (INADEQUATE), Heteronuclear Single-Quantum Correlation Spectroscopy (HSQC), Heteronuclear Multiple-Bond Correlation Spectroscopy (HMBC), Nuclear Overhauser Effect Spectroscopy (NOESY) and Rotating Frame Nuclear Overhauser Effect Spectroscopy (ROESY) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. *Global Imaging Insights*, 3: 1-9.
193. Heidari, A., 2018. Terphenyl-based reversible receptor with rhodamine, rhodamine-based molecular probe, rhodamine-based using the spirolactam ring opening, Rhodamine B with Ferrocene Substituent, Calix[4]Arene-Based Receptor, Thioether + Aniline-Derived Ligand Framework Linked to a Fluorescein Platform, Mercuryfluor-1 (Flourescent Probe), N, N'-Dibenzyl-1,4,10,13-Tetராoxa-7,16-Diazacyclooctadecane and Terphenyl-Based Reversible Receptor with Pyrene and Quinoline as the Fluorophores-Enhanced Precatalyst Preparation Stabilization and Initiation (EPPSI) nano molecules. *Global Imaging Insights*, 3: 1-9.
194. Heidari, A., 2018. Small-Angle X-Ray Scattering (SAXS), Ultra-Small Angle X-Ray Scattering (USAXS), Fluctuation X-Ray Scattering (FXS), Wide-Angle X-Ray Scattering (WAXS), Grazing-Incidence Small-Angle X-Ray Scattering (GISAXS), Grazing-Incidence Wide-Angle X-Ray Scattering (GIWAXS), Small-Angle Neutron Scattering (SANS), Grazing-Incidence Small-Angle Neutron Scattering (GISANS), X-Ray Diffraction (XRD), Powder X-Ray Diffraction (PXRD), Wide-Angle X-Ray Diffraction (WAXD), Grazing-Incidence X-Ray Diffraction (GIXD) and Energy-Dispersive X-Ray Diffraction (EDXRD) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. *Global Imaging Insights*, 3: 1-10.
195. Heidari, A., 2018. Nuclear Resonant Inelastic X-Ray Scattering Spectroscopy (NRIXSS) and Nuclear Resonance Vibrational Spectroscopy (NRVS) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. *Global Imaging Insights*, 3: 1-7.
196. Heidari, A., 2018. Small-Angle X-Ray Scattering (SAXS) and Ultra-Small Angle X-Ray Scattering (USAXS) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. *Global Imaging Insights*, 3: 1-7.
197. Heidari, A., 2018. Curious Chloride (CmCl_3) and Titanic Chloride (TiCl_4)-Enhanced Precatalyst Preparation Stabilization and Initiation (EPPSI) nano molecules for cancer treatment and cellular therapeutics. *J. Cancer Res. Ther. Interventions*, 1: 01-10.
198. Gobato, R., M.R.R. Gobato, A. Heidari and A. Mitra, 2018. Spectroscopy and dipole moment of the molecule $\text{C}_{13}\text{H}_{20}\text{BeLi}_2\text{SeSi}$ via quantum chemistry using ab initio, hartree-fock method in the base set CC-pVTZ and 6-311G** (3df, 3pd). *Arc. Org. Inorg. Chem. Sci.*, 3: 402-409.
199. Heidari, A., 2018. C_{60} and C_{70} -Encapsulating carbon nanotubes incorporation into the Nano Polymeric Matrix (NPM) by immersion of the Nano Polymeric Modified Electrode (NPME) as molecular enzymes and drug targets for human cancer cells, tissues and tumors treatment under synchrotron and synchrocyclotron radiations. *Integr. Mol. Med.*, 5: 1-8.
200. Heidari, A., 2018. Two-Dimensional (2D) ^1H or Proton NMR, ^{13}C NMR, ^{15}N NMR and ^{31}P NMR spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation with the passage of time. *Global Imaging Insights*, 3: 1-8.
201. Heidari, A., 2018. FT-raman spectroscopy, Coherent Anti-Stokes Raman Spectroscopy (CARS) and Raman Optical Activity Spectroscopy (ROAS) comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. *Global Imaging Insights*, 3: 1-8.
202. Heidari, A., 2018. A modern and comprehensive investigation of inelastic Electron Tunneling Spectroscopy (IETS) and scanning tunneling spectroscopy on malignant and benign human cancer cells, tissues and tumors through optimizing synchrotron microbeam radiotherapy for human cancer treatments and diagnostics: An experimental biospectroscopic comparative study. *Global Imaging Insights*, 3: 1-8.
203. Heidari, A., 2018. A hypertension approach to thermal infrared spectroscopy and photothermal infrared spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation with the passage of time. *Global Imaging Insights*, 3: 1-8.
204. Heidari, A., 2018. Incredible Natural-Abundance Double-Quantum Transfer Experiment (INADEQUATE), Nuclear Overhauser Effect Spectroscopy (NOESY) and Rotating Frame Nuclear Overhauser Effect Spectroscopy (ROESY) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. *Global Imaging Insights*, 3: 1-8.
205. Heidari, A., 2018. 2-Amino-9-((1S, 3R, 4R)-4-Hydroxy-3-(Hydroxymethyl)-2-Methylenecyclopentyl)-1H-Purin-6(9H)-One, 2-Amino-9-((1R, 3R, 4R)-4-Hydroxy-3-(Hydroxymethyl)-2-Methylenecyclopentyl)-1H-Purin-6(9H)-One, 2-Amino-9-((1R, 3R, 4S)-4-Hydroxy-3-(Hydroxymethyl)-2-Methylenecyclopentyl)-1H-Purin-6(9H)-One and 2-Amino-9-((1S, 3R, 4S)-4-Hydroxy-3-(Hydroxymethyl)-2-Methylenecyclopentyl)-1H-Purin-6(9H)-One-Enhanced precatalyst preparation stabilization and initiation nano molecules. *Global Imaging Insights*, 3: 1-9.

206. Gobato, R., M.R.R. Gobato, A. Heidari and A. Mitra, 2018. Spectroscopy and dipole moment of the molecule $C_{13}H_{20}BeLi_2SeSi$ via quantum chemistry using ab initio, hartree-fock method in the base set CC-pVTZ and 6-311G** (3df, 3pd). *Am. J. Quant. Chem. Mol. Spectrosc.*, 2: 9-17.
207. Heidari, A., 2018. Production of Electrochemiluminescence (ECL) biosensor using Os-Pd/HfC nanocomposites for detecting and tracking of human gastroenterological cancer cells, tissues and tumors. *Int. J. Med. Nano. Res.*, 5: 022-034.
208. Heidari, A., 2018. Enhancing the raman scattering for diagnosis and treatment of human cancer cells, tissues and tumors using Cadmium Oxide (CdO) nanoparticles. *J. Toxicol. Risk Assess.*, 4: 012-025.
209. Heidari, A., 2018. Human malignant and benign human cancer cells and tissues biospectroscopic analysis under synchrotron radiation using anti-cancer nano drugs delivery. *Integr. Mol. Med.*, 5: 1-13.
210. Heidari, A., 2018. Analogous nano compounds of the form $M(C_8H_8)_2$ Exist for $M = (Nd, Tb, Pu, Pa, Np, Th \text{ and } Yb)$ -Enhanced Precatalyst Preparation Stabilization and Initiation (EPPSI) nano molecules. *Integr. Mol. Med.*, 5: 1-8.
211. Heidari, A., 2018. Hadron spectroscopy, baryon spectroscopy and meson spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. *Integr. Mol. Med.*, 5: 1-8.
212. Gobato, R., M.R.R. Gobato and A. Heidari, 2019. Raman spectroscopy study of the nano molecule $C_{13}H_{20}BeLi_2SeSi$ using ab initio and hartree-fock methods in the basis set CC-pVTZ and 6-311G** (3df, 3pd). *Int. J. Adv. Eng. Sci.*, 7: 14-35.
213. Heidari, A. and R. Gobato, 2019. Evaluating the effect of anti-cancer nano drugs dosage and reduced leukemia and polycythemia vera levels on trend of the human blood and bone marrow cancers under synchrotron radiation. *Trends Res.*, 2: 1-8.
214. Heidari, A. and R. Gobato, 2019. Assessing the variety of synchrotron, synchrocyclotron and LASER radiations and their roles and applications in human cancer cells, tissues and tumors diagnosis and treatment. *Trends Res.*, 2: 1-8.
215. Heidari, A. and R. Gobato, 2019. Pros and cons controversy on malignant human cancer cells, tissues and tumors transformation process to benign human cancer cells, tissues and tumors. *Trends Res.*, 2: 1-8.
216. Heidari, A. and R. Gobato, 2019. Three-Dimensional (3D) simulations of human cancer cells, tissues and tumors for using in human cancer cells, tissues and tumors diagnosis and treatment as a powerful tool in human cancer cells, tissues and tumors research and anti-cancer nano drugs sensitivity and delivery area discovery and evaluation. *Trends Res.*, 2: 1-8.
217. Heidari, A. and R. Gobato, 2019. Investigation of energy production by synchrotron, synchrocyclotron and LASER radiations in human cancer cells, tissues and tumors and evaluation of their effective on human cancer cells, tissues and tumors treatment trend. *Trends Res.*, 2: 1-8.
218. Heidari, A. and R. Gobato, 2019. High-resolution mapping of DNA/RNA hypermethylation and hypomethylation process in human cancer cells, tissues and tumors under synchrotron radiation. *Trends Res.*, 2: 1-9.
219. Heidari, A., 2019. A novel and comprehensive study on manufacturing and fabrication nanoparticles methods and techniques for processing Cadmium Oxide (CdO) nanoparticles colloidal solution. *Global Imaging Insights*, 4: 1-8.
220. Heidari, A., 2019. A combined experimental and computational study on the catalytic effect of aluminum nitride nanocrystal (AlN) on the polymerization of benzene, naphthalene, anthracene, phenanthrene, chrysene and tetracene. *Global Imaging Insights*, 4: 1-8.
221. Heidari, A., 2019. Novel experimental and Three-Dimensional (3D) multiphysics computational framework of michaelis-menten kinetics for catalyst processes innovation, characterization and carrier applications. *Global Imaging Insights*, 4: 1-8.
222. Heidari, A., 2019. The hydrolysis constants of Copper (I) (Cu^+) and Copper (II) (Cu^{2+}) in aqueous solution as a function of pH using a combination of pH measurement and biospectroscopic methods and techniques. *Global Imaging Insights*, 4: 1-8.
223. Heidari, A., 2019. Vibrational biospectroscopic study of ginormous virus-sized macromolecule and polypeptide macromolecule as mega macromolecules using Attenuated Total Reflectance-Fourier Transform Infrared (ATR-FTIR) spectroscopy and mathematica 11.3. *Global Imaging Insights*, 4: 1-8.
224. Heidari, A., 2019. Three-Dimensional (3D) imaging spectroscopy of carcinoma, sarcoma, leukemia, lymphoma, multiple myeloma, melanoma, brain and spinal cord tumors, germ cell tumors, neuroendocrine tumors and carcinoid tumors under synchrotron radiation. *Global Imaging Insights*, 4: 1-9.
225. Gobato, R., M.R.R. Gobato, A. Heidari, 2019. Storm vortex in the center of Paraná State on June 6, 2017: A case study. *Sumerian J. Sci. Res.*, 2: 24-31.
226. Gobato, R., M.R.R. Gobato, A. Heidari, 2019. Attenuated Total Reflection-Fourier Transform Infrared (ATR-FTIR) spectroscopy study of the nano molecule $C_{13}H_{20}BeLi_2SeSi$ using ab initio and hartree-fock methods in the basis set RHF/CC-pVTZ and RHF/6-311G** (3df, 3pd): An experimental challenge to chemists. *Chem. Rep.*, 2: 1-26.
227. Heidari, A., 2019. Three-Dimensional (3D) imaging spectroscopy of carcinoma, sarcoma, leukemia, lymphoma, multiple myeloma, melanoma, brain and spinal cord tumors, germ cell tumors, neuroendocrine tumors and carcinoid tumors under synchrocyclotron radiation. *Res. Adv. Biomed. Sci. Technol.*, 1: 01-17.

228. Gobato, R., M.R.R. Gobato, A. Heidari and A. Mitra, 2019. New nano-molecule Kurumi- $C_{13}H_{20}BeLi_2SeSi/C_{13}H_{19}BeLi_2SeSi$ and raman spectroscopy using ab initio, hartree-fock method in the base set CC-pVTZ and 6-311G** (3df, 3pd). *J. Anal. Pharm. Res.*, 8: 1-6.
229. Heidari, A., J. Esposito and A. Caissutti, 2019. The Importance of Attenuated Total Reflectance Fourier Transform Infrared (ATR-FTIR) and Raman Biospectroscopy of Single-Walled Carbon Nanotubes (SWCNT) and Multi-Walled Carbon Nanotubes (MWCNT) in interpreting infrared and raman spectra of human cancer cells, tissues and tumors. *Oncogen*, 2: 1-21.
230. Heidari, A., 2019. Mechanism of action and their side effects at a glance prevention, treatment and management of immune system and human cancer nano chemotherapy. *Nanosci. Technol.*, 6: 1-4.
231. Heidari, A., J. Esposito, A. Caissutti, 2019. The quantum entanglement dynamics induced by non-linear interaction between a moving nano molecule and a two-mode field with two-photon transitions using reduced von neumann entropy and jaynes-cummings model for human cancer cells, tissues and tumors diagnosis. *Int. J. Crit. Care Emerg. Med.*, 5: 071-084.
232. Heidari, A., J. Esposito, A. Caissutti, 2019. Palytoxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *J. Pharm. Drug Res.*, 3: 150-170.
233. Heidari, A., J. Esposito, A. Caissutti, 2019. Aplysiatoxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *J. Chem. Sci. Eng.*, 2: 70-89.
234. Gobato, R., M.R.R. Gobato, A. Heidari and A. Mitra, 2018. Spectroscopy and dipole moment of the molecule $C_{13}H_{20}BeLi_2SeSi$ via quantum chemistry using ab initio, hartree-fock method in the base set CC-pVTZ and 6-311G** (3df, 3pd). *Am. J. Quant. Chem. Mol. Spectrosc.*, 2: 9-17.
235. Heidari, A., J. Esposito, A. Caissutti, 2019. Cyanotoxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Br. J. Med. Health Res.*, 6: 21-60.
236. Heidari, A., 2019. Potential and theranostics applications of novel anti-cancer nano drugs delivery systems in preparing for clinical trials of Synchrotron Microbeam Radiation Therapy (SMRT) and Synchrotron Stereotactic Radiotherapy (SSRT) for treatment of human cancer cells, tissues and tumors using Image Guided Synchrotron Radiotherapy (IGSR). *Ann. Nanosci. Nanotechnol.*, 3: 1006-1019.
237. Heidari, A., J. Esposito, A. Caissutti, 2019. Study of anti-cancer properties of thin layers of Cadmium Oxide (CdO) nanostructure. *Int. J. Analyt. Bioanalyt. Methods*, 1: 003-022.
238. Heidari, A., J. Esposito, A. Caissutti, 2019. Alpha-conotoxin, omega-conotoxin and Mu-conotoxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Int. J. Adv. Chem.*, 7: 52-66.
239. Heidari, A., 2019. Clinical and medical pros and cons of human cancer cells' enzymotherapy, immunotherapy, chemotherapy, radiotherapy, hormone therapy and targeted therapy process under synchrotron radiation: A case study on mechanism of action and their side effects. *Parana J. Sci. Educ.*, 5: 1-23.
240. Heidari, A., 2019. The importance of the power in CMOS inverter circuit of synchrotron and synchrocyclotron radiations using 50 nm and 100 nm technologies and reducing the voltage of power supply. *Radiother. Oncol. Int.*, 1: 1002-1015.
241. Heidari, A., J. Esposito and A. Caissutti, 2019. The importance of Quantum Hydrodynamics (QHD) Approach to Single-Walled Carbon Nanotubes (SWCNT) and Multi-Walled Carbon Nanotubes (MWCNT) in genetic science. *SCIOL Genet. Sci.*, 2: 113-129.
242. Heidari, A., J. Esposito, A. Caissutti, 2019. Anatoxin-a and anatoxin-a(s) time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Saudi J. Biomed. Res.*, 4: 174-194.
243. Gobato, R., M.R.R. Gobato and A. Heidari, 2019. Evidence of tornado storm hit the counties of rio branco do ivaí and rosario de Ivaí, Southern Brazil. *Sci. Lett.*, 7: 32-40.
244. Jeyaraj, M., V. Mahalingam, A. Indhuleka, P. Sennu, M.S. Ho and A. Heidari, 2019. Chemical analysis of surface water quality of river Noyyal connected tank in Tirupur District, Tamil Nadu, India. *Water Energy Int.*, 62: 63-68.
245. Heidari, A., J. Esposito and A. Caissutti, 2019. 6-Methoxy-8-[[6-Methoxy-2-Methyl-1-(2-Methylpropyl)-3,4-Dihydro-1H-Isoquinolin-7-yl]Oxy]-2-Methyl-1-(2-Methylpropyl)-3,4-Dihydro-1H-Isoquinolin-7-yl]Oxy]-2-Methyl-1-(2-Methylpropyl)-3,4-Dihydro-1H-Isoquinolin-7-ol time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *J. Adv. Phys. Chem.*, 1: 1-6.
246. Heidari, A., J. Esposito and A. Caissutti, 2019. Shiga Toxin and Shiga-Like Toxin (SLT) time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Annal. Biostat. Biomed. Appl.*, 2: 1-4.

247. Heidari, A., J. Esposito and A. Caissutti, 2019. Alpha-bungarotoxin, beta-bungarotoxin and kappa-bungarotoxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Arch. Pharmacol. Pharma. Sci. ReDelve*, 2019: 1-24.
248. Heidari, A., J. Esposito and A. Caissutti, 2019. Okadaic acid time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Int. J. Analyt. Bioanalyt. Methods*, 1: 1-19.
249. Heidari, A., 2019. Investigation of the processes of Absorption, Distribution, Metabolism and Elimination (ADME) as vital and important factors for modulating drug action and toxicity. *Open Access J. Oncol.*, 2: 180010-180012.
250. Heidari, A., J. Esposito and A. Caissutti, 2019. Pertussis toxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Chem. Rep.*, 1: 1-5.
251. Gobato, R., M.R.R. Gobato and A. Heidari, 2019. Rhodochrosite as crystal oscillator. *Am. J. Biomed. Sci. Res.*, 3: 187.
252. Heidari, A., J. Esposito and A. Caissutti, 2019. Tetrodotoxin (TTX) time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *J. New Dev. Chem.*, 2: 26-48.
253. Heidari, A., J. Esposito and A. Caissutti, 2019. The importance of analysis of vibronic-mode coupling structure in vibrational spectra of supramolecular aggregates of (CA*M) Cyanuric Acid (CA) and Melamine (M) beyond the franck-condon approximation. *J. Clin. Med. Images*, 2: 1-20.
254. Heidari, A., J. Esposito and A. Caissutti, 2019. Microcystin-LR time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Malaysian J. Chem.*, 21: 70-95.
255. Heidari, A., J. Esposito and A. Caissutti, 2019. Botulinum toxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *J. Mech. Design Vibr.*, 7: 1-15.
256. Heidari, A., J. Esposito and A. Caissutti, 2019. Domoic Acid (DA) time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Cientific Clin. Oncol. J.*, 1.2: 03-07.
257. Heidari, A., J. Esposito and A. Caissutti, 2019. Surugatoxin (SGTX) time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Cientific Clin. Oncol. J.*, 1.2: 14-18.
258. Heidari, A., J. Esposito and A. Caissutti, 2019. Decarbamoylsaxitoxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Cientific Clin. Oncol. J.*, 1.2: 19-23.
259. Heidari, A., J. Esposito and A. Caissutti, 2019. Gonyautoxin (GTX) time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Cientific Clin. Oncol. J.*, 1.2: 24-28.
260. Heidari, A., J. Esposito and A. Caissutti, 2019. Hislronicotoxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Cientific Drug Delivery Res.*, 1.1: 01-06.
261. Heidari, A., J. Esposito and A. Caissutti, 2019. Dihydrokainic acid time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Cientific Drug Delivery Res.*, 1.1: 07-12.
262. Heidari, A., J. Esposito and A. Caissutti, 2019. Aflatoxin B1 (AFB1), B2 (AFB2), G1 (AFG1), G2 (AFG2), M1 (AFM1), M2 (AFM2), Q1 (AFQ1) and P1 (AFP1) time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Cientific Drug Delivery Res.*, 1.1: 25-32.
263. Heidari, A., J. Esposito and A. Caissutti, 2019. Mycotoxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Cientific Drug Delivery Res.*, 1.1: 13-18.
264. Heidari, A., J. Esposito and A. Caissutti, 2019. Bufotoxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Cientific Drug Delivery Res.*, 1.1: 19-24.
265. Heidari, A., J. Esposito, A. Caissutti, 2019. Kainic Acid (Kainite) time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Cientific J. Neurol.*, 1. 2: 02-07.

266. Heidari, A., J. Esposito and A. Caissutti, 2019. Nereistoxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Cientific J. Neurol.*, 1.2: 19-24.
267. Heidari, A., J. Esposito and A. Caissutti, 2019. Spider toxin and ravenstoxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Parana J. Sci. Edu.*, 5: 1-28.
268. Heidari, A., J. Esposito and A. Caissutti, 2019. Ochratoxin A, Ochratoxin B, Ochratoxin C, Ochratoxin α and Ochratoxin TA time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Cientific Drug Delivery Res.*, 1.2: 03-10.
269. Heidari, A., J. Esposito and A. Caissutti, 2019. Brevetoxin A and B time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Cientific Drug Delivery Res.*, 1.2: 11-16.
270. Heidari, A., J. Esposito and A. Caissutti, 2019. Lyngbyatoxin-a time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Cientific Drug Delivery Res.*, 1.2: 23-28.
271. Heidari, A., J. Esposito and A. Caissutti, 2019. Balraechotoxin (BTX) time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Cientific J. Neurol.*, 1.3: 01-05.
272. Heidari, A., J. Esposito and A. Caissutti, 2019. Hanatoxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Int. J. Pharm. Sci. Rev. Res.*, 57: 21-32.
273. Heidari, A., J. Esposito and A. Caissutti, 2019. Neurotoxin and alpha-neurotoxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *J. Biomed. Sci. Res.*, 3: 550-563.
274. Heidari, A., J. Esposito and A. Caissutti, 2019. Antillatoxin (ATX) time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure. *Am. J. Optics Photonics*, 7: 18-27.
275. Gobato, R., M.R.R. Gobato and A. Heidari, 2019. Calculation by UFF method of frequencies and vibrational temperatures of the unit cell of the rhodochrosite crystal. *Int. J. Adv. Chem.*, 7: 77-81.
276. Heidari, A., J. Esposito and A. Caissutti, 2019. Analysis of vibronic-mode coupling structure in vibrational spectra of fuzeon as a 36 amino acid peptide for HIV therapy beyond the multi-dimensional franck-condon integrals approximation. *Int. J. Adv. Chem.*, 7: 82-96.
277. Heidari, A., J. Esposito and A. Caissutti, 2019. Debromoaplysiatoxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Applied Chem.*, 2: 17-54.
278. Heidari, A., J. Esposito and A. Caissutti, 2019. Enterotoxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *JRL J. Sci. Technol.*, 1: 1-16.
279. Gobato, R., M.R.R. Gobato, A. Heidari and A. Mitra, 2019. Rhodochrosite optical indicatrix. *Peer Res. Nest.*, 1: 1-2.
280. Heidari, A., J. Esposito and A. Caissutti, 2019. Anthrax toxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Res. Rev. J. Computat. Biol.*, 8: 23-51.
281. Heidari, A., J. Esposito and A. Caissutti, 2019. Kalkitoxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Can. J. Biomed. Res. Tech.*, 2: 1-21.
282. Heidari, A., J. Esposito and A. Caissutti, 2019. Neosaxitoxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Clin. Case Stud. Rep.*, 2: 1-14.
283. Heidari, A., J. Esposito and A. Caissutti, 2019. 6-Methoxy-8-[[6-Methoxy-8-[[6-Methoxy-2-Methyl-1-(2-Methylpropyl)-3,4-Dihydro-1H-Isoquinolin-7-yl]Oxy]-2-Methyl-1-(2-Methylpropyl)-3,4-Dihydro-1H-Isoquinolin-7-yl]Oxy]-2-Methyl-1-(2-Methylpropyl)-3,4-Dihydro-1H-Isoquinolin-7-ol time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Clin. Case Stud. Rep.*, 2: 1-14.
284. Heidari, A., 2019. Comparison of synchrotron radiation and synchrocyclotron radiation performance in monitoring of human cancer cells, tissues and tumors. *Clin. Case Stud. Rep.*, 2: 1-12.

285. Heidari, A., J. Esposito and A. Caissutti, 2019. Kalkitoxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Clin. Case Stud. Rep.*, 2: 1-14.
286. Heidari, A., J. Esposito and A. Caissutti, 2019. Diphtheria toxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis: A spectroscopic study on an anti-cancer drug. *Clin. Case Stud. Rep.*, 2: 1-14.
287. Heidari, A., J. Esposito and A. Caissutti, 2019. Sybiodinolide time-resolved absorption and resonance FT-IR and raman biospectroscopy and Density Functional Theory (DFT) investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Clin. Case Stud. Rep.*, 2: 1-14.
288. Heidari, A., J. Esposito and A. Caissutti, 2019. Saxitoxin time-resolved absorption and resonance FT-IR and raman biospectroscopy and density functional theory investigation of vibronic-mode coupling structure in vibrational spectra analysis. *Am. J. Exp. Clin. Res.*, 6: 364-377.
289. Gobato, R., M.R.R. Gobato, A. Heidari and A. Mitra, 2019. Hartree-fock methods analysis protonated rhodochrosite crystal and potential in the elimination of cancer cells through synchrotron radiation. 5: 27-36.
290. Gobato, R., I.K.K. Dosh, A. Heidari, A. Mitra and M.R.R. Gobato, 2019. Perspectives on the elimination of cancer cells using rhodochrosite crystal through synchrotron radiation and absorption the tumoral and non-tumoral tissues. *Arch. Biomed. Eng. Biotechnol.*, 3: 1-2.
291. Gobato, R., M.R.R. Gobato, A. Heidari and A. Mitra, 2019. Unrestricted hartree-fock computational simulation in a protonated rhodochrosite crystal. *Phys. Astron. Int J.*, 3: 220-228.
292. Heidari, A., K. Schmitt, M. Henderson and E. Besana, 2019. Perspectives on sub-nanometer level of electronic structure of the synchrotron with mendelevium nanoparticles for elimination of human cancer cells, tissues and tumors treatment using mathematica 12.0. *J. Energy Conserv.*, 1: 46-73.
293. Heidari, A., K. Schmitt, M. Henderson and E. Besana, 2019. Simulation of interaction of synchrotron radiation emission as a function of the beam energy and bohrium nanoparticles using 3D Finite Element Method (FEM) as an optothermal human cancer cells, tissues and tumors treatment. *Curr. Res. Biochem. Mol. Biol.*, 1: 17-44.
294. Heidari, A., K. Schmitt, M. Henderson and E. Besana, 2019. Investigation of interaction between synchrotron radiation and thulium nanoparticles for human cancer cells, tissues and tumors treatment. *Eur. J. Sci. Explor.*, 2: 1-8.
295. Heidari, A., K. Schmitt, M. Henderson and E. Besana, 2020. The effectiveness of the treatment human cancer cells, tissues and tumors using darmstadtium nanoparticles and synchrotron radiation. *Int. J. Adv. Eng. Sci.*, 9: 9-39.